

Corrected as of 7/20/25

Nov. 1, 1924

REPAIR PART PRICE LIST

IRON AGE POTATO PLANTERS


No. 1 to 4, 1895-1913. Cuts on Pages 13, 14.

No. 400, 404 and combinations from 1914. Cuts on Pages 11, 12, 13.

No. 401 Automatic Planter from 1922. Cuts on Pages 15, 16.

No. 402 Assisted Feed Planter from 1922. Cuts on Pages 15, 16.

Attachments. Cuts on Pages 16, 17, 18.



No. 402. Assisted-Feed Potato Planter from 1922

FRED. H. BATEMAN CO., 624 So. Washington Sq., Philadelphia, Pa.



Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|---|-------------|------------|-------------|-----|
| Upper Belt Guide, R. H. | D 8 M | \$0.40 | 0 | 7 |
| Upper Belt Guide, L. H. | D 9 M | .40 | 0 | 7 |
| Holder for Feedgate Spring | D 20 M | .40 | 0 | 3 |
| Serrated Washer for Chain Tightener | D 88 | .25 | 0 | 4 |
| Top Piece for Spout | D 102 A | .20 | 0 | 2 |
| Top Piece for Spout | D 103 A | .20 | 0 | 2 |
| Top Piece for Spout | D 104 A | .20 | 0 | 2 |
| Top Piece for Spout | D 105 A | .20 | 0 | 2 |
| Agitator Finger, L. H. | E 2 M | .50 | 0 | 11 |
| Agitator Finger, R. H. | E 21 M | .50 | 0 | 11 |
| Sprocket for Agitator Axle, 24 pt. | E 26 M | 1.50 | 1 | 6 |
| Wrench, Malleable | E 39 | .65 | 0 | 14 |
| Collar for Picker Wheel Shaft | E 296 | .40 | 0 | 8 |
| Singletree Hook, R., malleable | E 304 | .40 | 0 | 4 |
| Singletree Hook, L., malleable | E 305 | .40 | 0 | 4 |
| Spacer for Rear Seat Iron | E 451 | .25 | 0 | 5 |
| Collar for Main Axle (1 $\frac{3}{8}$ in.) | G 18 A | .45 | 0 | 13 |
| Disc Ratchet (upper) | G 20 | .80 | 1 | 5 |
| Clutch for Main Axle (Axle size, 1 $\frac{3}{8}$ in.) | G 94 | 1.10 | 3 | 0 |
| Saddle for Clutch (Axle size, 1 $\frac{3}{8}$ in.) | G 95 | .60 | 0 | 11 |
| Hub for 14" Covering Disc | G 97 | 1.25 | 3 | 4 |
| Hub Pawl Holder, R. H. (Axle size, 1 $\frac{3}{8}$ in.) | G 100 | 1.85 | 3 | 2 |
| Hub Pawl Holder, L. H. (Axle size, 1 $\frac{3}{8}$ in.) | G 101 | 1.85 | 3 | 2 |
| Fertilizer Drive Sprocket (17 pt.), (Axle size, 1 $\frac{3}{8}$ in.) | G 104 | 1.50 | 2 | 11 |
| Disc Ratchet and Sand Cap | G 140 | 1.00 | 1 | 8 |
| Take-up Washers for Discs | G 141 | .20 | 0 | 7 |
| Main Bearings (Axle size, 1 $\frac{3}{8}$ in.) | G 157 | 1.75 | 3 | 6 |
| Chain Tightener Roller | K 443 A | .25 | 0 | 4 |
| Stud Washer for Connecting Link | K 492 | .25 | 0 | 2 |
| Hubs for Covering Disc, to 1896 | P 30 | .90 | 2 | 8 |
| Front Sand Cap for Covering Disc, to 1896 | P 31 | .30 | 0 | 9 |
| Rear Sand Cap for Covering Disc, to 1896 | P 32 | .35 | 0 | 10 |
| Double Sprocket on Main Axle, to 1914 | P 40 | 2.25 | 5 | 0 |
| Clutch for Main Axle, Nos. 1-404 | P 41 | 1.00 | 3 | 0 |
| Clutch Saddle, Nos. 1-404 | P 42 | .50 | 0 | 11 |
| Box for Main Shaft, to 1909 | P 43 | .55 | 1 | 12 |
| Front Gang Lifting Crank, complete, 1894-1895 | P 46 | 1.65 | 5 | 8 |
| Rear Connection for Front Lifting Lever (with Rd. Pt. Set Screw $\frac{9}{16}$ x 1) to 1914 | P 47 | 1.10 | 3 | 0 |
| Front Connection for Front Lifting Lever, with Set Screws, 1894 | P 48 | 1.00 | 2 | 0 |
| End for Control Lever, 1894 | P 49 | 1.10 | 3 | 0 |
| Clutch Lever, to 1914 | P 50 | .50 | 1 | 2 |
| Bevel Gear for Main Feed Wheel (with Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{1}{2}$), Nos. 1-404 | P 52 | .75 | 0 | 14 |
| Bevel Drive Pinion for Main Feed Wheel (with Rd. Pt. Set Screw, $\frac{3}{8}$ x $\frac{1}{2}$), Nos. 1-404 | P 53 | .60 | 0 | 10 |
| Fertilizer Scraper, from 1904 | P 59 | 1.10 | 4 | 8 |
| Fertilizer Shaft Box, 1894-1895 | P 61 | .45 | 0 | 14 |
| Fertilizer Crab Support, 1894 | P 62 | 1.20 | 1 | 9 |
| Fertilizer Spout, complete, 1894 | P 63 & P 64 | 1.25 | 1 | 8 |
| Sprocket, 9-Point, for Seed and Fertilizer Feed, Nos. 1-404 | P 66 | .40 | 0 | 15 |
| Sprocket, 10-Point, for Seed Feed, Nos. 1-404 | P 67 | .45 | 1 | 3 |
| Sprocket, 11-Point, for Seed Feed, Nos. 1-404 | P 68 | .50 | 1 | 4 |
| Fertilizer Gate Closer, 1913 | P 69 | .25 | 0 | 4 |
| Fertilizer Gate Rod Adjuster Bracket | P 70 | .40 | 0 | 8 |
| Fertilizer Gate Rod Adjuster, 1913 | P 71 | .25 | 0 | 3 |
| Fertilizer Gate Rod Adjuster, 1914 | P 71 A | .25 | 0 | 2 |
| Hub for Flat Opening Disc | P 73 | .50 | 1 | 0 |
| Pivot Support for Marker Pole, Nos. 1-404 | P 75 | .40 | 0 | 14 |
| Pivot for Marker Pole, Nos. 1-404 | P 76 | .75 | 4 | 0 |
| Collar for Clutch Spring (with Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$), Nos. 1-404 | P 77 | .30 | 0 | 4 |
| Filler for Opening Plow Standard | P 81 | .40 | 0 | 14 |
| Sprocket for Seed Feed, 8-Tooth, Nos. 1-404 | P 82 | .45 | 0 | 13 |
| Sprocket for Fertilizer Feed, 6-Tooth, Nos. 1-404 | P 83 | .35 | 0 | 10 |
| Sprocket for Fertilizer Feed, 5-Tooth | P 84 | .30 | 0 | 7 |
| Sprocket for Fertilizer Feed, 7-Tooth (P 85 A since 1914) | P 85 A | .35 | 0 | 12 |
| Elevator Wheel, 9 pocket, for extra large seed, Nos. 3 and 4, to 1914, Special | P 86 | 3.00 | 9 | 1 |
| Elevator Wheel, 10 pocket, for large seed, Nos. 3 and 4, to 1914; 404 since 1914 | P 87 | 3.00 | 8 | 3 |
| Elevator Wheel, 10 pocket, for medium seed, Nos. 3 and 4, to 1914; 404 since 1914 | P 88 | 3.00 | 8 | 12 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|---|-------------|------------|----------------|-----|
| Fertilizer Gate, 1895-1904, Nos. 1-3..... | P 91 | \$0.60 | 0 | 13 |
| Bottom for Fertilizer Hopper, 1895-1904, No. 1..... | P 92 | 3.75 | 14 | 0 |
| Clip from Covering Disc Tie Brace to Carrying Frame, Nos. 1-404..... | P 93 | .50 | 1 | 0 |
| Fertilizer Disc, 1895, No. 1..... | P 94 | 1.25 | 3 | 12 |
| Fertilizer Disc Support (Crab Sup't) 1895-1904 (with Rd. Pt. Set Screw, $\frac{3}{8}$ x $\frac{1}{2}$)..... | P 95 | 1.25 | 2 | 12 |
| Fertilizer Spout, complete, 1895-1904, No. 1..... | P 96 & P 97 | 1.10 | 2 | 8 |
| Fertilizer Spreader, No. 1, 1895-1913, Nos. 400 R, 404 R from 1914..... | P 98 | .75 | 2 | 8 |
| Pan for Elevator Wheel, 1908-1909 on Nos. 3 and 4, from 1910 on all..... | P 99 | 3.25 | 11 | 8 |
| Bracket for Potato Tube Boot, Nos. 1-404..... | P 100 | .75 | 1 | 13 |
| Marker Filler Holder, Nos. 1-404..... | P 101 | .40 | 0 | 7 |
| Pin for Depth Adjusting Straps, front, malleable, Nos. 1-404..... | P 102 | .25 | 0 | 3 |
| Rear Gang Lifting Crank, complete (long), 1895-1913, Nos. 1-4..... | P 103 | 1.65 | 6 | 8 |
| Front Gang Lifting Crank, complete (short), 1895-1913, Nos. 1-4..... | P 103 | 1.65 | 5 | 8 |
| Bottom for Potato Hopper, Nos. 1 and 2, to 1910..... | P 104 | 13.00 | 72 | 0 |
| Bottom for Potato Hopper, Nos. 3 and 4, 1908-1910, 1910-1913 on all..... | P 104 A | 13.00 | 65 | 0 |
| Bottom for Potato Hopper, from 1914 (no cut), Nos. 400-404..... | P 104 B | 11.00 | 46 | 8 |
| Bottom for Potato Hopper, from 1914 (no cut), Nos. 400-404..... | P 104 C | 15.00 | 53 | 0 |
| Pan for Elevator Wheel, Nos. 1 and 2, to 1910..... | P 105 | 2.25 | 10 | 0 |
| Spout for Elevator Wheel, Nos. 1 and 2, to 1910 (no cut)..... | P 106 | .70 | 2 | 1 |
| Elevator Wheel (12 pocket) for medium seed, Nos. 1 and 2 to 1910..... | P 107 | 3.00 | 6 | 14 |
| Main Feed Wheel, 12 pocket, Nos. 1, 2, 400, 400 R..... | P 108 | 3.00 | 7 | 0 |
| Bracket for Hopper Fenders, Nos. 1-404..... | P 109 | 1.00 | 2 | 0 |
| Lid for Spout No. P 106, Nos. 1 and 2, to 1910; Nos. 400, 404 from 1913..... | P 110 A | .40 | 0 | 11 |
| Main Shaft Cam for Hopper Bottom Shaker, to 1914, Nos. 1-4..... | P 111 | 3.00 | 7 | 14 |
| Shaker Connection for Hopper Sliding Bottom, Nos. 1-404..... | P 112 | .30 | 0 | 9 |
| Shaker Connection for Hopper Sliding Bottom, Nos. 400, 404 from 1916..... | P 112 A | .30 | 0 | 9 |
| Spur Gear for Elevator Wheel, with Shaft, 418 A, complete; Nos. 400-404..... | P 114 A | 2.25 | 2 | 1 |
| Spur Drive Pinion for Elevator Wheel, Nos. 1-404..... | P 115 | .65 | 0 | 10 |
| Spur Drive Pinion, with Shaft..... | P 115 | 1.40 | 1 | 12 |
| Bevel Gear for Elevator Wheel (with Cup Pt. Set Screw $\frac{3}{8}$ x $\frac{5}{8}$), Nos. 1-404..... | P 116 | .90 | 1 | 9 |
| Bevel Drive Gear for Elevator Wheel, Nos. 1-404..... | P 117 | .80 | 1 | 8 |
| Bevel Drive Gear, with Shaft, Nos. 1-404..... | P 117 | 1.25 | 3 | 0 |
| Washer for Elevator Main Feed Wheel Shaft, to 1914, Nos. 1-4..... | P 120 | .30 | 0 | 3 |
| Collar for Main Axle (inside frame), (with Cup Pt. Set Screw, $\frac{1}{2}$ x $\frac{3}{4}$, Special Short Head), to 1914, Nos. 1-404..... | P 121 | .50 | 0 | 13 |
| Sprocket for Seed Feed, 12-Tooth, Nos. 1, 2, 400, 400 R..... | P 122 | .55 | 1 | 8 |
| Sprocket for Seed Feed, 13-Tooth, Nos. 1, 2, 400, 400 R..... | P 123 | .60 | 1 | 10 |
| Sprocket for Seed Feed, 16-Tooth, 1896-1913..... | P 124 | .75 | 1 | 15 |
| Pea Plate (corrugated) Seed Attachment, 1895-1900..... | P 125 | .90 | 1 | 2 |
| Elevator Wheel, 10-pocket, for large seed, Nos. 1 and 2, to 1910..... | P 126 | 3.00 | 6 | 8 |
| Main Feed Wheel, 10-pocket, Nos. 3 and 4, to 1914..... | P 127 | 3.00 | 8 | 0 |
| Elevator Wheel, 12-pocket, for extra small seed, Nos. 1 and 2, to 1910, special..... | P 128 | 3.00 | 6 | 0 |
| Elevator Wheel, 12-pocket, for small seed, Nos. 1 and 2, to 1910..... | P 129 | 3.00 | 6 | 6 |
| Elevator Wheel, 9-pocket, for extra large seed, Nos. 1 and 2, to 1910..... | P 130 | 3.00 | 6 | 8 |
| Elevator Wheel, 1895-1900 (no cut)..... | P 131 | 3.00 | 7 | 4 |
| Elevator Wheel, 12-pocket, for extra small seed, Nos. 1 and 2, to 1910..... | P 132 | 3.00 | 6 | 0 |
| Spring Case for Control Lever, malleable, Nos. 1-404..... | P 133A | .50 | 0 | 10 |
| Front Sand Cap for Covering Disc Hub, Nos. 1-404..... | P 134 | .35 | 0 | 12 |
| Rear Sand Cap and Ratchet, for Covering Disc Hub, Nos. 1-404..... | P 135 | 1.00 | 1 | 10 |
| Ratchet for Covering Disc, on flat bar, Nos. 1-404..... | P 136 | .70 | 1 | 2 |
| Collar for Fertilizer Pinion Shaft, (with Cup Pt. Set Screw, $\frac{3}{8}$ x $\frac{5}{8}$)..... | P 137 | .30 | 0 | 6 |
| Bottom for Fertilizer Hopper, from 1912..... | P 138 A | 3.50 | 15 | 7 |
| Pin for Depth Adjusting Straps, rear, malleable..... | P 140 | .25 | 0 | 4 |
| Shield for Fertilizer Force Feed Wheel, from 1904..... | P 142 | .40 | 0 | 7 |
| Fertilizer Disc Support (Crab Sup't), from 1904..... | P 143 | 1.20 | 2 | 7 |
| Fertilizer Spout, from 1904..... | P 144 | 1.25 | 2 | 9 |
| Star Wheel for Fertilizer Force Feed, from 1904, (Special in 1910 only)..... | P 145 | .55 | 0 | 12 |
| Wheel for Fertilizer Force Feed (1908-1909 special), regular from 1910..... | P 145 A | .60 | 1 | 6 |
| Star Wheel for Fertilizer Force Feed, special to sow less than P 145 A, from 1911..... | P 145 B | .60 | 1 | 6 |
| Fertilizer Gate, from 1904..... | P 146 | .50 | 0 | 8 |
| Fertilizer Gate, from 1914..... | P 146 A | .60 | 0 | 8 |
| Elevator Spout, Nos. 3 and 4, 1908-1909..... | P 147 | .65 | 1 | 14 |
| Lid for Spout No. P 147, Nos. 3 and 4, 1908-1909, from 1910, on all..... | P 148 | .40 | 0 | 9 |
| Wedge in Potato Shoe, Nos. 1-4 to 1913; on all from 1913..... | P 149 | .70 | 0 | 11 |
| Hopper Bottom, Seeder Attachment..... | P 150 | 1.70 | 3 | 0 |
| Brush Holder, Seed Attachment..... | P 151 | .50 | 1 | 3 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|---|---------|------------|-------------|-----|
| Pea Gate Holder, Seeder Attachment..... | P 152 | \$0.50 | 0 | 11 |
| Gate Stop, Seeder Attachment..... | P 153 | .40 | 0 | 2 |
| Corn or Bean Plate, special. Seeder Attachment, from 1910. Plants double distance.... | P 154 A | 1.00 | 1 | 13 |
| Corn and Bean Plate, Regular from 1914 (Takes place 154)..... | P 154 B | 1.00 | 1 | 13 |
| Corn and Bean Plate, Special. Plants double distance..... | P 154 C | 1.00 | 1 | 9 |
| Corn or Bean Plate, Special, from 1910..... | P 155 A | 1.00 | 1 | 13 |
| Corn or Bean Plate, Regular Seed Attachment, from 1914 (Takes place 155)..... | P 155 B | 1.00 | 1 | 13 |
| Corn or Bean Plate, Regular Seed Attachment, from 1914, Double Distance..... | P 155 C | 1.00 | 1 | 11 |
| Corn or Bean Plate, Special, from 1910, Seed Attachment, Double Distance..... | P 156 A | 1.00 | 1 | 12 |
| Corn or Bean Plate, regular, Seed Attachment from 1914 (Takes place 156)..... | P 156 B | 1.00 | 2 | 0 |
| Corn or Bean Plate Special, Seed Attachment from 1914, Double Distance..... | P 156 C | 1.00 | 1 | 9 |
| Corn or Bean Plate, special, from 1910, Seed Attachment, Double Distance..... | P 157 A | 1.00 | 1 | 11 |
| Corn or Bean Plate, regular from 1914, Seed Attachment (Takes place 157)..... | P 157 B | 1.00 | 1 | 14 |
| Corn or Bean Plate, special from 1914, Seed Attachment, Double Distance..... | P 157 C | 1.00 | 1 | 10 |
| Pea Plate, Seed Attachment, from 1914..... | P 158 A | 1.00 | 2 | 1 |
| Corn or Bean Plate, special, from 1910, Seed Attachment..... | P 159 A | 1.00 | 1 | 12 |
| Corn or Bean Plate (for planting 5 grains of corn), from 1910, Seed Attachment..... | P 159 B | 1.00 | 1 | 15 |
| Corn or Bean Plate, regular from 1914, Seed Attachment (Takes place 159)..... | P 159 C | 1.00 | 1 | 13 |
| Corn or Bean Plate, special from 1914, Seed Attachment, Double Distance..... | P 159 D | 1.00 | 1 | 13 |
| Corn or Bean Plate, special from 1914, Seed Attachment. Plants large quantity..... | P 159 E | 1.00 | 1 | 13 |
| Seed Plate, 20-pocket, for Lima Beans, Seed Attachment, special from 1914..... | P 160 A | 1.00 | 1 | 8 |
| Seed Plate, 20-pocket, for Lima Beans (no cut), Seed Attachment, special from 1914..... | P 161 A | 1.00 | 1 | 15 |
| Brush Gauge, Seed Attachment..... | P 165 | .25 | 0 | 3 |
| Pea Gate, Seed Attachment..... | P 166 | .25 | 0 | 3 |
| Disc Axle Bracket, Double Disc Opening Plow..... | P 175 | 1.65 | 3 | 8 |
| Disc Hub, with axle, Double Disc Opening Plow..... | P 176 | .80 | 0 | 15 |
| Double Fertilizer Spreader, for side dressing (complete)..... | P 177 | 1.65 | 4 | 0 |
| Elevator Wheel, 12 pockets, Nos. 1, 2, 400, 400 R, medium seed; Nos. 3, 4, 404, 404 R, small seed..... | P 179 | 3.00 | 9 | 0 |
| Elevator Wheel, 12 pockets, Nos. 1, 2, 400, 400 R, small seed; Nos. 3, 4, 404, 404 R, extra small seed..... | P 180 | 3.00 | 10 | 0 |
| Elevator Wheel, 11 pockets, Nos. 1, 2, 400, 400 R, large seed..... | P 181 | 3.00 | 7 | 8 |
| Elevator Wheel, 9 pockets, Nos. 1, 2, extra large seed, to 1914, 400, 400 R from 1914.... | P 183 | 3.00 | 9 | 1 |
| Elevator Wheel, 12 pockets, Nos. 1 and 2, extra small seed, to 1914, 400, 400 R from 1914 | P 184 | 3.00 | 8 | 12 |
| Main Frame, to 1909 (no cut)..... | P 185 | 25.00 | 117 | 0 |
| Main Frame, 1909-1913..... | P 185 A | 25.00 | 119 | 0 |
| Corner Plate for Hopper, malleable, to 1914..... | P 186 | .25 | 0 | 2 |
| Leveler Bracket (goose neck), malleable..... | P 187 | 1.10 | 1 | 8 |
| Elevator Spout, from 1910..... | P 188 | .75 | 1 | 4 |
| Hinge for Plow Gangs, from 1914..... | P 189 | 1.00 | 2 | 13 |
| Hinge for Disc Gangs, from 1914..... | P 190 | .90 | 2 | 14 |
| Main Bearing from 1914..... | P 191 | 1.75 | 3 | 6 |
| Inside Bearing for Front Lift Crank, from 1914..... | P 192 | .65 | 1 | 10 |
| Outside Bearing for Front Lift Crank, from 1914..... | P 193 | .65 | 1 | 4 |
| Lug for Chain Tightener, from 1914. (C. Bolts, $\frac{3}{8}$ x $1\frac{1}{8}$)..... | P 194 | .40 | 0 | 8 |
| Bearing for Rear Lift Crank (inside), from 1914..... | P 195 | .40 | 1 | 1 |
| Bearing for Rear Lift Crank (outside), from 1914..... | P 196 | .75 | 1 | 15 |
| Rear Connection for Front Lifting Lever, from 1914..... | P 197 | .90 | 2 | 13 |
| Fertilizer Spreader, wide (special)..... | P 198 | 1.65 | 4 | 4 |
| Fertilizer Spreader, wide (special), from 1914..... | P 198 A | 2.25 | 2 | 1 |
| Clutch Lever, from 1914..... | P 199 | .50 | 1 | 8 |
| Roller for Chain Tightener..... | P 200 | .40 | 0 | 15 |
| Detachable Bearing with Boss, from 1914..... | P 201 | 1.00 | 1 | 13 |
| Detachable Bearing without Boss, from 1914..... | P 202 | .90 | 1 | 5 |
| Seed Drive Sprocket, from 1914..... | P 203 | 1.25 | 2 | 13 |
| Seed Drive Sprocket, 13 pt., (Axle size $1\frac{1}{8}$ ")..... | P 203 B | 1.25 | 3 | 1 |
| Agitator Cam, from 1914..... | P 204 | 2.00 | 7 | 0 |
| Agitator Cam, (Axle size $1\frac{1}{8}$ ")..... | P 204 A | 2.00 | 5 | 2 |
| Fertilizer Drive Sprocket, 17 pt., from 1914..... | P 205 | 1.50 | 2 | 9 |
| Serrated Block for Steel Potato Tube, from 1914..... | P 206 | .90 | 1 | 15 |
| Covering Wheel, special, from 1914..... | P 207 | 4.40 | 13 | 0 |
| Holder for Leveler Blade, special, from 1914..... | P 208 | 1.20 | 1 | 12 |
| Malleable Pawl, from 1915..... | P 209 | .25 | 0 | 2 |
| Agitator Crank for Hopper Bottom..... | P 222 | .25 | 0 | 9 |
| Chain Tightener Roller..... | P 224 | .35 | 0 | 10 |
| Lockdown Arm for Throwout Cam..... | P 249 | 1.25 | 4 | 2 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | WEIGHT OZ. |
|---|---------|------------|----------------|---------------|
| Lockdown Arm for L. H. Side..... | P 250 | \$1.25 | 3 | 7 |
| Stud Washers for Disc Gauge..... | P 256 | .25 | 0 | 4 |
| Clutch..... | P 257 | 1.00 | 2 | 12 |
| Control Lever Shaft Bearing..... | P 258 | .75 | 1 | 6 |
| Control Shifter Fork..... | P 259 | .75 | 1 | 14 |
| Axle for Opening Discs..... | P 264 | 1.00 | 2 | 1 |
| Driven Sprocket on Belt Shaft, 9 pt..... | P 265 A | .50 | 1 | 1 |
| Agitator Driving Sprocket on Belt..... | P 266 | .50 | 0 | 9 |
| Control Lever End..... | P 267 A | 1.50 | 2 | 8 |
| Opening Disc Hub..... | P 269 | .75 | 1 | 12 |
| Picker Plungers..... | P 271 | 1.25 | 1 | 8 |
| Picker Standards..... | P 272 | | | |
| Lower Pot. Hopper R. H..... | P 273 | 8.75 | 25 | 0 |
| Lower Pot. Hopper L. H..... | P 274 | 10.00 | 33 | 0 |
| Arm for Front Lift Crank..... | P 275 | 1.00 | 2 | 8 |
| Seed Drive Sprocket, 13 Points..... | P 276 | 1.50 | 2 | 8 |
| Rear Foot Rests and Sand Cap..... | P 277 | .75 | 2 | 3 |
| 7 pt. Sprocket Wheel..... | P 278 | .30 | 0 | 14 |
| 9 point Sprocket Wheel..... | P 279 | .50 | 1 | 0 |
| 10 Point Sprocket Wheel..... | P 280 | .75 | 1 | 2 |
| 12 Point Sprocket Wheel..... | P 281 | .75 | 1 | 6 |
| 14 Point Sprocket Wheel..... | P 282 | .75 | 1 | 2 |
| 17 Point Sprocket Wheel..... | P 283 | 1.00 | 2 | 0 |
| Picker Cam..... | P 284 | .50 | 1 | 2 |
| Shield for Picker Wheel..... | P 285 | .50 | 1 | 8 |
| Wing Nut for Bolt in Seed Gate, Brass..... | P 286 | .15 | 0 | $\frac{1}{2}$ |
| Agitator for Potato Chute..... | P 287 | .60 | 1 | 4 |
| Hub for Covering Disc, from 1914..... | P 300 | .90 | 2 | 8 |
| Top Piece for Fertilizer Spout..... | P 302 | .20 | 0 | 4 |
| Top Piece for Fertilizer Spout..... | P 303 | .20 | 0 | 4 |
| Top Piece for Fertilizer Spout..... | P 304 | .20 | 0 | 4 |
| Top Piece for Fertilizer Spout..... | P 305 | .20 | 0 | 4 |
| Ring Bearing for Pickers, Inside of Center..... | P 316 | 1.00 | 3 | 0 |
| Picker Carrier Wheel..... | P 320 A | 3.75 | 7 | 7 |
| Potato Regulating Roller Stud..... | P 334 | .25 | 0 | 4 |
| Potato Regulating Roller..... | P 335 | .35 | 0 | 8 |
| Potato Tube Boot, 1895-1910 (for small tube)..... | P 440 | 3.75 | 13 | 2 |
| Potato Tube Boot, 1909-1913 (for large tube)..... | P 441 | 3.75 | 12 | 14 |
| Potato Tube Boot, 1914 only..... | P 441 R | 2.25 | 7 | 11 |
| Potato Tube Boot, 1914 only..... | P 441 L | 2.00 | 4 | 13 |
| Front Connection for Front Lifting Lever (with Screw, $\frac{1}{2}$ x $\frac{3}{4}$), from 1895..... | P 480 | 1.10 | 2 | 0 |
| End for Control Lever, from 1895..... | P 490 | 1.10 | 3 | 0 |
| Fertilizer Cone, from 1895..... | P 580 | .60 | 0 | 14 |
| Fertilizer Bevel Pinion, from 1895..... | P 600 | .55 | 0 | 9 |
| Pinion with Shaft, from 1895..... | P 600 | 1.40 | 1 | 12 |
| Fertilizer Shaft Box. (M. Bolts, $\frac{3}{8}$ x 3)..... | P 610 | .50 | 0 | 15 |
| Hub Pawl Holder, R. H., from 1910..... | P 701 | 1.25 | 2 | 12 |
| Hub Pawl Holder, L. H., from 1910..... | P 702 | 1.25 | 2 | 12 |
| Fertilizer Disc, 1896-1903..... | P 940 | 1.30 | 4 | 0 |
| Fertilizer Disc, 1904-1912..... | P 941 | 1.25 | 4 | 0 |
| Fertilizer Disc, with Round Pt. Set Screw, $\frac{1}{8}$ x $\frac{1}{4}$, from 1913..... | P 941 A | 1.25 | 4 | 8 |
| Fertilizer Disc, with Round Pt. Set Screw, $\frac{1}{8}$ x $\frac{1}{4}$, from 1913..... | P 941 B | 1.50 | 4 | 8 |
| Hub Pawl, R. H., from 1910. (Takes place 709)..... | S 119 | .25 | 0 | 4 |
| Pawl for Hub, R. H., (Axle size $1\frac{3}{8}$ ")..... | S 119 A | .25 | 0 | 3 |
| Hub Pawl, L. H., from 1910. (Takes place 710)..... | S 120 | .25 | 0 | 4 |
| Pawl for Hub, L. H., (Axle size $1\frac{3}{8}$ ")..... | S 120 A | .25 | 0 | 3 |
| Take-up Washer for Shafts Nos. 421 A, and 2617 from 1914..... | S 455 | .15 | 0 | 2 |
| Feed Gate..... | T 28 M | 1.50 | 1 | 9 |
| Shield for E26M Sprocket..... | T 49 M | 1.50 | 2 | 11 |
| Side Belt Guide, L. H.,..... | T 93 M | .50 | 1 | 6 |
| Side Belt Guide, R. H.,..... | T 94 M | .60 | 1 | 6 |
| Lower Belt Guide..... | T 95 M | .25 | 0 | 1 |
| Back Roller for Fertilizer Belt..... | T 97 M | .20 | 0 | 2 |
| Stud Washer for No. 2622..... | T 150 | .10 | 0 | 1 |
| Bearing for Belt Axle..... | T 259 M | .50 | 0 | 11 |
| Spout Frame..... | T 283 M | 1.75 | 4 | 3 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | WEIGHT OZ. |
|---|----------|------------|----------------|---------------|
| Front Roller Sprocket for Fertilizer Belt..... | T 284 M | \$1.25 | 2 | 4 |
| Chain, Steel Locke Belt, per foot, to 1914..... | 32 | .30 | 0 | 5 |
| Chain (malleable), per foot, to 1914..... | 32 | .30 | 0 | 6 |
| Pin for Wing Nut and 2604..... | 33 A | .10 | 0 | 1 |
| Spring for Clutch..... | 110 A | .20 | 0 | 1 |
| Pin for P 41, $\frac{3}{8}$ x 2 $\frac{1}{2}$ (without head)..... | 288 | .20 | 0 | 2 |
| Concave Disc, 12 inches, for Double Disc Opening Plow..... | 335 | 2.25 | 3 | 8 |
| Tongue Eye Bolt, to 1914..... | 376 | .15 | 0 | 5 |
| Tongue Eye Bolt, from 1913..... | 376 A | .25 | 0 | 5 |
| Neckyoke Ring Staple..... | 377 | .10 | 0 | 1 |
| Neckyoke Staple, long, for Eye Bolt Rings..... | 378 | .10 | 0 | 1 |
| Standard for Double Disc Opening Plow..... | 379 | 1.50 | 5 | 0 |
| Axle for Double Discs..... | 380 | .50 | 0 | 6 |
| Leveler Bracket Support..... | 381 | 1.25 | 1 | 14 |
| Covering Disc Support..... | 382 | 1.50 | 4 | 8 |
| Evener Hasp..... | 383 | .75 | 1 | 15 |
| Fertilizer Hopper Hanger Iron, to 1914..... | 384 | 1.35 | 5 | 0 |
| Standard for Shield Opening Blow..... | 385 | 1.50 | 4 | 8 |
| Carrying Frame for Potato Tube Boot, R. H..... | 386 R | 3.00 | 7 | 8 |
| Carrying Frame for Potato Tube Boot, L. H..... | 386 L | 3.00 | 7 | 8 |
| Carrying Frame for Opening Plow, R. H..... | 387 R | 3.00 | 10 | 4 |
| Carrying Frame for Opening Plow, L. H..... | 387 L | 3.00 | 10 | 4 |
| Carrying Frame for Opening Plow, R. H..... | 387 A R | 3.00 | 10 | 4 |
| Carrying Frame for Opening Plow, L. H..... | 387 A L | 3.00 | 10 | 4 |
| Covering Disc Support Brace..... | 388 | .60 | 2 | 12 |
| Holder Plate for Gate Rod, Fertilizer Attachment..... | 389 | .25 | 0 | 3 |
| Knee Plate for Chain Tightener, Fertilizer Attachment..... | 390 | .50 | 0 | 14 |
| Chain Tightener Carrier, with Axle..... | 391 | .50 | 2 | 0 |
| Strap for Boot to Shoe, from 1910, Nos. 1-4; from 1914, Nos. 400-404..... | 392 A | .30 | 0 | 8 |
| Rack for Control Lever, Nos. 1-4..... | 393 | 2.25 | 3 | 8 |
| Depth Adjusting Straps, to 1914, Nos. 1-4..... | 394 | .50 | 0 | 12 |
| Hinge for Seat, with Eye Bolt, for Regular Fertilizer Hopper, to 1913 (no cut)..... | 395 | .90 | 1 | 0 |
| Hinge for Seat, with Eye Bolt, for Large Fertilizer Hopper, 1913..... | 395 A | .90 | 1 | 0 |
| Eye Bolt for Seat Hinge, to 1913, Nos. 1-3..... | 396 | .25 | 0 | 3 |
| Stirrup for Covering Disc..... | 397 A | .30 | 0 | 5 |
| Stirrup for Covering Disc; Nos. 400-404 from 1918..... | 397 C | .25 | 0 | 7 |
| Rear Seat Support (two of these parts take place of old style). (C. Bolts, $\frac{3}{8}$ x 1 $\frac{1}{2}$, $\frac{1}{4}$ x 1 $\frac{1}{2}$)..... | 398 A | 1.00 | 4 | 8 |
| Control Lever with Handle & Steel Thumb Latch, from 1914. (Malleable No. 399 before 1914)..... | 399 A | 1.25 | 4 | 0 |
| Pawl for Control Lever..... | 400 | .25 | 0 | 3 |
| Pawl Spring for Control Lever, coil; superseded 401, 1916..... | 401 A | .15 | 0 | 1 |
| Front Seat Iron, for Nos. 2 and 4, to 1914..... | 402 | 1.50 | 6 | 0 |
| Wing for Opening Plow, R. H., special..... | 403 R.H. | 1.10 | 1 | 6 |
| Wing for Opening Plow, L. H., special..... | 403 L.H. | 1.10 | 1 | 6 |
| Clip for Marker Steel..... | 404 | .15 | 0 | 6 |
| Evener Plate..... | 405 | .25 | 0 | 6 |
| Evener Plate, special from 1917..... | 405 A | .25 | 0 | 6 |
| Hopper Bottom Shaker Bar Knee, to 1914..... | 406 | .50 | 1 | 3 |
| Hopper Bottom Shaker Bar, complete with Pin and Knee, to 1914..... | 407 | .75 | 3 | 0 |
| Marker Steel..... | 408 | .65 | 1 | 15 |
| Opening Plow with Shield 426, complete <i>but does not include standard or bolt</i> | 409 | 4.50 | 8 | 0 |
| Front Lifting Crank, bare, to 1914..... | 410 | 1.25 | 3 | 8 |
| Rear Lifting Crank, bare, to 1914..... | 411 | 1.25 | 4 | 8 |
| Clutch Rod, to 1914..... | 414 | .60 | 1 | 0 |
| Clutch Rod, 16 inches long, from 1914..... | 414 A | .60 | 0 | 14 |
| Spring for Clutch Rod, coil..... | 415 | .25 | 0 | 3 |
| Vertical Shaft for Fertilizer Hopper, complete, 25 $\frac{3}{4}$ long..... | 416 | 1.50 | 2 | 0 |
| Vertical Shaft for large Fertilizer Hopper, complete, 28 $\frac{3}{4}$ long..... | 416 A | 1.75 | 2 | 4 |
| Link Connection for Fertilizer Gate, to 1904..... | 417 | .25 | 0 | 3 |
| Link Connection for Fertilizer Gate, from 1904..... | 417 A | .25 | 0 | 3 |
| Link Connection for Fertilizer Gate, from 1904..... | 417 B | .25 | 0 | 2 |
| Spur Gear Shaft for Elevator Wheel (for P 114), $\frac{3}{4}$ x 3 $\frac{1}{16}$ | 418 | .85 | 0 | 6 |
| Spur Gear Shaft for Elevator Wheel (for P 114 A), $\frac{3}{4}$ x 3 $\frac{1}{16}$ | 418 B | 1.00 | 0 | 6 |
| Bevel Gear Shaft for Main Feed Wheel, (for P 52)..... | 419 | 1.00 | 0 | 10 |
| Shaft, for Elevator Wheel, (for P 115), to 1914..... | 420 | .75 | 1 | 2 |
| Shaft for P 115 Drive Pinion, $\frac{3}{4}$ x 10 $\frac{1}{2}$ | 420 A | .75 | 1 | 3 |
| Shaft, for Elevator and Feed Wheels, (for P 117), to 1914..... | 421 | 1.00 | 1 | 8 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|--|----------|------------|----------------|---------------|
| Shaft, $\frac{3}{4}$ x 13 $\frac{1}{2}$, for P 117 from 1914. | 421 A | \$1.00 | 1 | 11 |
| Shaft, for Bevel Pinion, (P 600) for Fertilizer Attachment, $\frac{3}{4}$ x 9 $\frac{1}{2}$ | 422 | 1.00 | 1 | 3 |
| Washer between Fertilizer Disc and Disc Support. | 423 | .25 | 0 | 3 |
| Covering Disc Axle. | 424 | .65 | 1 | 8 |
| Pin for Evener, $\frac{5}{8}$ x 6; 425 A used in place from 1915. | 425 | .25 | 0 | 10 |
| Opening Plow Shield. | 426 | 2.75 | 5 | 0 |
| Pin for Shaker Bar (no cut), to 1914. | 427 | .25 | 3 | 0 |
| Fertilizer Gate Rod, to 1904 (no cut) | 428 | 1.00 | 1 | 9 |
| Fertilizer Gate Rod, $\frac{1}{2}$ x 27, 1904-1913. | 428 B | 1.00 | 1 | 8 |
| Fertilizer Gate Rod, for Large Distributor, to 1914, $\frac{1}{2}$ x 31 $\frac{1}{2}$; special for Seed Box extension | 428 C | 1.00 | 1 | 12 |
| Fertilizer Gate Rod, $\frac{1}{2}$ x 32 $\frac{1}{16}$, for Large Distributor, from 1914 (no cut). | 428 E | 1.00 | 1 | 12 |
| Fertilizer Gate Rod, $\frac{1}{2}$ x 27 $\frac{3}{4}$, from 1914 (no cut) | 428 F | 1.00 | 1 | 8 |
| Support for Potato Tube, to 1910. | 429 | .70 | 0 | 15 |
| Support for Potato Tube, from 1910 (Nos. 3, 4, 404, 404 R, from 1908) | 429 A | .50 | 1 | 0 |
| Connecting Bar for Lifting Gangs, to 1914. | 430 | 1.20 | 4 | 0 |
| Connecting Bar for Lifting Gangs, 29 $\frac{1}{2}$ long, from 1914. | 430 A | 1.00 | 4 | 8 |
| Standard for Single Disc Opening Plow. | 431 | 1.50 | 4 | 0 |
| Straight Brace, for Single Disc Opening Plow. | 432 | .40 | 1 | 2 |
| Bent Brace, for Single Disc Opening Plow. | 433 | .40 | 0 | 15 |
| Wheel Clutch Spring, coil. | 434 | .15 | 0 | 1 |
| Axle for Single Disc. | 435 | .40 | 0 | 7 |
| Main Axle, 1 $\frac{1}{4}$ x 45. | 436 | 3.50 | 15 | 10 |
| Oil Tube. | 437 | .15 | 0 | 1 |
| Pin for Gangs, $\frac{1}{2}$ x 2 $\frac{1}{2}$ B. H. | 438 | .15 | 0 | 3 |
| Pin for Connecting Bar, $\frac{1}{16}$ x 1 $\frac{1}{2}$ B. H. (439 A used in place from 1910) | 439 | .15 | 0 | 2 |
| Single Flat Disc, 12 inches, for Opening Plow. | 440 | 2.50 | 4 | 0 |
| Single Flat Disc, with Hub. | 440 | 4.00 | 5 | 0 |
| Stud Bolt for P 50 Clutch Lever, to 1914. | 441 | .15 | 0 | 3 |
| Covering Disc, 16-inch. | 442 | 2.50 | 8 | 0 |
| Covering Disc with Hub. | 442 | 3.50 | 10 | 8 |
| Pipe Bushing for P 145-P 146. | 445 | .25 | 0 | 2 |
| Gate Rod for Seed Attachment. | 446 | .40 | 0 | 5 |
| Pin for P 111 (without head), $\frac{3}{8}$ x 1 $\frac{5}{8}$ (no cut). | 448 | .15 | 0 | 2 |
| Pins for Vertical Shaft, short, Fertilizer Attachment (no cut) $\frac{1}{16}$ x 2 $\frac{1}{2}$. | 449 | .15 | 0 | $\frac{1}{2}$ |
| Pin for Vertical Shaft, long, Fertilizer Attachment (no cut) $\frac{1}{16}$ x 4. | 449 B | .15 | 0 | $\frac{1}{2}$ |
| "S" Hook for Double Spreader. | 470 | .15 | 0 | $\frac{1}{2}$ |
| Main Carrying Bar, Ridging Attachment. | 546 | 3.00 | 5 | 8 |
| Support for Covering Disc, R. H., Ridging Attachment. | 547 R.H. | 3.50 | 4 | 8 |
| Support for Covering Disc, L. H., Ridging Attachment. | 548 L.H. | 3.50 | 4 | 8 |
| Support Brace for Covering Discs, R. H., Ridging Attachment. | 549 | 1.50 | 3 | 8 |
| Support Brace for Covering Discs, L. H., Ridging Attachment. | 549 | 1.50 | 3 | 8 |
| Seat Iron Helper. | 866 A | 1.00 | 2 | 8 |
| Seat Iron (takes place 866). | 866 B | 2.00 | 6 | 1 |
| Pipe for Clutch Rod, $\frac{1}{2}$ x 2 $\frac{1}{16}$ (no cut). | 1039 | .15 | 0 | 3 |
| Neckyoze Rings. | 1404 | .15 | 0 | 4 |
| Seat, steel (No. 4) rear. | 1405 | 1.10 | 3 | 0 |
| Seat, steel (No. 4) rear. | 1405 B | 1.10 | 3 | 0 |
| Seat, steel (No. 3) front. | 1423 | 1.35 | 4 | 8 |
| Handle for Control Lever. | 1475 | .25 | 0 | 3 |
| Cap for Opening Plow Hub. | 1737 | .20 | 0 | 1 |
| Seat Clamp. | 1845 | .30 | 0 | 8 |
| Potato Tube Shoe, special (with wedge), from 1910; Regular from 1913. | 2500 | 3.00 | 5 | 8 |
| Potato Tube Shoe, special (two pieces), from 1910; Regular from 1913. | 2500 A | 3.00 | 5 | 8 |
| 10-inch Furrower for Fig. 142. | 2501 | 1.50 | 3 | 0 |
| Galvanized Cover for P 98, 1895 to 1913. | 2502 | .25 | 0 | 4 |
| Pipe Axle for Covering Discs (old), to 1914. | 2503 | .50 | 0 | 5 |
| Blade for Leveler Attachment. | 2504 | 2.25 | 2 | 11 |
| Galvanized Cover for P 177, Double Spreader, from 1914, special. | 2505 A | .25 | 0 | 3 |
| Galvanized Cover for P 198, Fertilizer Spreader. | 2506 | .35 | 0 | 5 |
| Galvanized Cover for P 198, Fertilizer Spreader, from 1914, special. | 2506 A | .35 | 0 | 7 |
| Seat Iron, 13 $\frac{3}{8}$ " long, 1912-1913, with Regular Distributor. | 2507 | .50 | 1 | 1 |
| Seat Iron, 19" long, 1912-1913, with Large Distributor. | 2507 A | .50 | 1 | 7 |
| Seat Iron, 19 $\frac{1}{2}$ " long, from 1914, with Large Distributor. | 2507 B | .50 | 1 | 8 |
| Holder for 2507 A, Seat Iron, 1912-1913. | 2508 | .25 | 0 | 3 |
| Holder for Seat Iron, from 1914. | 2508 A | .25 | 0 | 3 |
| Main Frame, R. H., from 1914. | 2509 R | 4.00 | 16 | 14 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|--|--------|----------------------|----------------|-----|
| Main Frame, L. H., from 1914. (2509 R. H. and L. H., Heavier, special from 1916)..... | 2509 L | \$4.00 | 16 | 14 |
| Rear Tie Piece, 1914..... | 2510 | 2.50 | 7 | 5 |
| Rear Tie Piece, from 1915..... | 2510 A | 2.50 | 7 | 8 |
| Bracket for Clutch Rod, from 1914..... | 2511 | .40 | 0 | 11 |
| Fertilizer Hopper Hanger, R. H., from 1914..... | 2512 R | 1.00 | 2 | 13 |
| Fertilizer Hopper Hanger, L. H., from 1914..... | 2512 L | 1.00 | 2 | 13 |
| Knee Piece for Pole, from 1914..... | 2513 | .50 | 0 | 11 |
| Knee for Hopper Bottom Shaker Bar, from 1914..... | 2514 | .55 | 0 | 12 |
| Knee for Hopper Bottom Shaker Bar, from 1915..... | 2514 A | .55 | 1 | 0 |
| Front Tie Piece, from 1914..... | 2515 | 1.75 | 5 | 11 |
| Potato Hopper, steel, from 1914 (no cut)..... | 2516 | 10.00 | 20 | 0 |
| Bottom for Hopper, 1914-1915..... | 2518 | 1.50 | 2 | 13 |
| Bottom for Hopper, from 1916..... | 2518 A | 2.00 | 2 | 14 |
| Bottom for Hopper, from 1922..... | 2518 B | 1.50 | 2 | 14 |
| Support for Seed Hopper (front), from 1914..... | 2523 | .40 | 0 | 12 |
| Rear Lift Crank, 23 $\frac{1}{2}$ long, from 1914..... | 2524 | 1.50 | 5 | 4 |
| Front Lift Crank, 18 $\frac{1}{2}$ long, from 1914..... | 2525 | 1.10 | 3 | 14 |
| Rear Depth Adjuster Links, from 1914..... | 2526 | .50 | 0 | 11 |
| Front Depth Adjuster Links, from 1914..... | 2527 | .40 | 0 | 11 |
| Quadrant, from 1914..... | 2528 | 2.25 | 3 | 10 |
| Hopper Bottom Shaker Bar, 1914, 1915..... | 2529 | .50 | 1 | 2 |
| Hopper Bottom Shaker Bar, from 1916..... | 2529 A | .90 | 1 | 5 |
| Agitator Cam Fork, 1914, 1915..... | 2530 | .30 | 0 | 8 |
| Agitator Cam Fork, from 1916..... | 2530 A | .30 | 0 | 7 |
| Knee for Cam Fork, 1914, 1915..... | 2531 | .35 | 0 | 8 |
| Support for Bottom, from 1914..... | 2532 | 1.50 | 5 | 14 |
| Oil Can Holder, from 1914..... | 2533 | .25 | 0 | 2 |
| Front Seat Spring, from 1914 on No. 400, 404..... | 2534 | 1.50 | 6 | 13 |
| Holder for Gate Rod, from 1914..... | 2535 | .40 | 0 | 2 |
| Extension for Potato Hopper, from 1914 (no cut). Nos. 2557 and 2558 used since 1914..... | 2536 | 3.75 | 10 | 8 |
| Strap, Extension to Hopper, from 1914..... | 2538 | .25 | 0 | 2 |
| Pin for P 117, $\frac{1}{4}$ x 1 $\frac{1}{2}$, from 1914 (no cut)..... | 2539 | .10 | 0 | 1 |
| Potato Tube Boot, complete, from 1914, (no cut)..... | 2544 | 5.00 | 4 | 0 |
| Steel Spreader, galvanized, from 1914, with Spring and Chains, complete..... | 2545 A | 1.50 | 1 | 4 |
| Front Strap, extension to Hopper (no cut)..... | 2546 | .25 | 0 | 3 |
| Bracket for Fertilizer Gate Rod Adjuster, from 1914..... | 2548 | .25 | 0 | 3 |
| Extension for Seed Hopper, complete, from 1914..... | 2557 | 5.00 | 7 | 12 |
| Pole (no cut)..... | 2560 | 5.00 | 18 | 0 |
| Pole (pine), from 1914 (no cut)..... | 2560 A | 5.00 | 18 | 0 |
| Evener..... | 2561 | 1.75 | 4 | 8 |
| Singletree, complete..... | 2562 | 1.25 | 2 | 1 |
| Neckyoake, complete..... | 2563 | 1.75 | 4 | 8 |
| Seed Hopper, wood, to 1914 (no cut)..... | 2564 | 6.50 | 14 | 0 |
| Sliding Bottom for Hopper, wood, to 1914..... | 2565 | 1.10 | 2 | 1 |
| Sliding Bottom for Hopper, wood, from 1914. (2565 B used in place from 1916)..... | 2565 A | .75 | 1 | 9 |
| Sliding Bottom for Hopper, from 1922..... | 2565 C | 1.00 | 1 | 9 |
| End Guide for Seed to 1914..... | 2566 | .65 | 1 | 1 |
| Front Guide for Seed (long), to 1914..... | 2567 | .65 | 1 | 10 |
| Hopper Fenders..... | 2568 | .25 | 0 | 3 |
| Side Sill for Bottom, to 1914..... | 2569 | 1.00 | 2 | 10 |
| Marker Pole, wood only..... | 2570 | 1.35 | 3 | 8 |
| Seat Board and Cleat, to 1914..... | 2571 | 1.65 | 4 | 2 |
| Seat Board and Cleat, to 1914, special..... | 2571 A | 2.25 | 5 | 6 |
| Seat Board and Cleat, from 1914..... | 2571 B | 1.65 | 3 | 4 |
| Seat Board and Cleat, from 1914, Nos. 400 L, 404 L..... | 2571 C | 2.25 | 4 | 8 |
| Evener and Whiffletrees, complete..... | 2572 | 5.00 | 9 | 8 |
| Hopper Extension, wood, to 1914 (no cut)..... | 2573 | 5.00 | 7 | 8 |
| Guide for Sliding Bottom, wood (right side), from 1914..... | 2574 | .15 | 0 | 2 |
| Guide for Sliding Bottom, wood (left side), from 1914..... | 2575 | .15 | 0 | 2 |
| Wood Fertilizer Hopper..... | 2579 | 14.00 | 65 | 0 |
| Main Wheel, steel, 38-inch..... | 2580 | 12.00 | 50 | 0 |
| Wheel Hub Box and Nut (C 22)..... | 2581 | 3.50 2.00 | 5 | 8 |
| Galvanized Hopper for Fertilizer (no cut)..... | 2582 | 4.00 | 11 | 8 |
| Galvanized Hopper for Fertilizer, large size (no cut)..... | 2582 A | 7.00 8.00 | 14 | 0 |
| Galvanized Hopper for Seed Attachment..... | 2583 | 1.65 | 3 | 0 |
| Galvanized Cover for Elevator Wheel, 1913 to 1915; 2600 since 1915..... | 2584 | 1.10 | 2 | 0 |

Repair Parts for *IRON AGE* Potato Planters


| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | OZ. |
|---|--------|------------|----------------|---------------|
| Galvanized Potato Tube for P 44-P 440, small, Nos. 1 & 2, to 1910 | 2585 | \$1.10 | 1 | 12 |
| Galvanized Potato Tube for P 441, large, Nos. 3 & 4, 1908-1909, on all from 1910-1914 | 2585 A | 1.50 | 2 | 1 |
| Galvanized Potato Tube, from 1914 | 2585 B | 1.25 | 1 | 14 |
| Fertilizer Drive Chain, 33 links No. 32 Steel Locke Belt (when used with 9-tooth Sprocket) | 2586 | .85 | 1 | 1 |
| Feed Drive Chain, 50 links No. 32 Steel Locke Belt (when used with 11-tooth Sprocket) to 1914 | 2587 | 1.15 | 1 | 9 |
| Jack Chain for Fertilizer Spreader, R. H., 27 in. | 2588 | .25 | 0 | 5 |
| Jack Chain for Fertilizer Spreader, L. H., 12 in. | 2589 | .15 | 0 | 2 |
| Brush for Seed Attachment. | 2591 | .60 | 0 | 3 |
| Thumb Screw (square shoulder) for Seed Attachment. | 2592 | .15 | 0 | 1 |
| Thumb Screw (round shoulder) for Seed Attachment. | 2593 | .15 | 0 | 1 |
| Rawhide Washer, $1\frac{9}{16} \times \frac{1}{8}$, for Covering Discs. | 2594 | .10 | 0 | $\frac{1}{4}$ |
| Rawhide Washer, $1\frac{5}{8} \times 1\frac{1}{16}$, for Double Disc Opening Plow. | 2595 | .10 | 0 | 1 |
| Main Wheel, Steel, 46-inch (no cut) (Special) | 2596 | 15.00 | 64 | 0 |
| Wrench Holder, from 1912 (no cut) | 2597 | .15 | 0 | 2 |
| Feed Drive Chain, 51 links, No. 32 steel | 2598 | 1.00 | 1 | 9 |
| Jack Chain for Fertilizer Spreader, R. H., 23-inch | 2599 | .25 | 0 | 5 |
| Galvanized Cover for Elevator Wheel, in place of 2584 since 1915. | 2600 | 1.25 | 1 | 2 |
| Foot Rest from 1915. Nos. 400-404 | 2601 | .65 | 1 | 9 |
| Adjustable Pocket Plate | 2603 | 2.50 | 2 | 14 |
| Stud for Plate, Brass | 2604 | .30 | 0 | 1 |
| Front Side for Potato Hopper | 2610 | 1.00 | 6 | 4 |
| Rear Side for Potato Hopper | 2611 | 1.25 | 7 | 1 |
| Side for Potato Hopper, R. H. | 2612 | 1.00 | 4 | 12 |
| Side for Potato Hopper, L. H. | 2612 | 1.00 | 4 | 12 |
| Chain Tightener Arms | 2613 | .40 | 0 | 15 |
| Potato Spout | 2615 | 2.50 | 2 | 10 |
| Potato Spout Guide | 2616 | .50 | 1 | 2 |
| Shaft for Drive Sprocket | 2617 | .75 | 1 | 12 |
| Main Supports for Hopper | 2618 | .75 | 3 | 3 |
| Front Supports for Hopper | 2619 | .50 | 0 | 14 |
| Bracket for Sliding Bottom | 2620 | .25 | 0 | 9 |
| Guide for 2620 | 2621 | .25 | 0 | 2 |
| Connecting Link for Sliding Bottom | 2622 | .25 | 0 | 14 |
| Main Axle, $1\frac{1}{8} \times 47\frac{3}{8}$ | 2626 | 4.00 | 20 | 0 |
| Reinforcing Strap for Sliding Bottom | 2627 | .25 | 1 | 14 |
| Carrier Iron | 2630 | 4.00 | 16 | 8 |
| Picker Wheel Shaft | 2631 | 1.50 | 4 | 15 |
| Shield for Back of Lower Hopper | 2632 | 1.00 | 1 | 6 |
| Bottom for Potato Hopper | 2634 | 1.00 | 7 | 8 |
| Left Hand Side of Hopper | 2635 | .60 | 2 | 10 |
| Spacer for Seed Chute | 2636 | .40 | 0 | 6 |
| Seed Gate | 2637 | .50 | 0 | 10 |
| Bottom of Seed Chute | 2638 | 1.20 | 2 | 9 |
| Hinge for Chute | 2639 | | | |
| Rod for Chute Hinge | 2640 | | | |
| Agitator Arm | 2641 | .50 | 1 | 6 |
| Upper Potato Spout | 2642 | 1.00 | 4 | 0 |
| Hopper Support, Front | 2643 | 1.00 | 3 | 6 |
| Hopper Support, Rear | 2644 | .75 | 1 | 5 |
| R. H. Brace for Lower Potato Hopper | 2645 | .65 | 1 | 7 |
| L. H. Brace for Lower Potato Hopper | 2646 | 1.00 | 1 | 14 |
| Chain Tightener Arm | 2647 | | | |
| Regulating Roller Arm | 2648 | .25 | 0 | 4 |
| Seat Iron | 2649 | 1.25 | 4 | 2 |
| Spring for Picker Wheel Shaft | 2650 | .25 | 0 | 3 |
| Picker Springs | 2651 | .15 | 0 | 11 |
| Pickers—spring brass | 2652 | .15 | 0 | $\frac{1}{2}$ |
| Wood Hopper | 2660 | 5.00 | 24 | 0 |
| Thumb Latch for handle, from 1914 (no cut) | 2680 | .30 | 0 | 3 |
| Drive Chain, 43 Links, No. 32 Steel | 2683 | 1.30 | 1 | 4 |
| Fertilizer Belt, complete | 2686 | 5.00 | 3 | 14 |
| Fertilizer Tubes, Rubber (cloth insert) | 2687 | .60 | 0 | 4 |
| Agitator Drive Chain, 33 Links, No. 25 Steel | 2688 | .80 | 0 | 7 |
| Shield for Rear of Fertilizer Belt, Rubber (cloth insert) | 2689 | .30 | 0 | 1 |
| Thumb Screw, Malleable | 2690 | .15 | 0 | 1 |
| Drive Chain for Picker Wheel, 48 Links, No. 32 Steel | 2691 | 1.30 | 1 | 6 |

Repair Parts for *IRON AGE* Potato Planters

| DESCRIPTION | NO. | LIST PRICE | WEIGHT LBS. | WEIGHT OZ. |
|---|------------|------------|----------------|---------------|
| Chain for Marker Bar..... | 2692 | \$0.40 | 0 | 5 |
| Shifter Fork Spring..... | 2701 | .50 | 0 | 2 |
| Clutch Spring..... | 2702 | .50 | 0 | 2 |
| Control Lever..... | 2707 | .75 | 6 | 4 |
| Control Lever, Quadrant..... | 2709 A | .75 | 2 | 3 |
| Covering Disc Bracket R. H..... | 2717 A | 2.75 | 4 | 7 |
| Covering Disc Bracket, L. H..... | 2717 A | 2.75 | 4 | 7 |
| Tie Brace for Disc Gang..... | 2718 | .75 | 3 | 2 |
| Stop Pin for 2701 Spring..... | 2720 | .15 | 0 | 2 |
| Lower Potato Spout..... | 2735 | 1.25 | 3 | 12 |
| Main Axle, 1 1/4 x 45"..... | 2736 | 3.75 | 15 | 0 |
| Wire for Control Lever Pawl..... | 2738 | .15 | 0 | 1 |
| Tie for 2500A to 2718..... | 2739 | .25 | 0 | 3 |
| Covering and Opening Disc, 14"..... | 2744 | 3.50 | 7 | 8 |
| Opening Plow Shield..... | 2745 A | 1.50 | 7 | 9 |
| Brace for Fertilizer Hopper..... | 2750 | .30 | 0 | 15 |
| Bolt, 2638 to 2641..... | 2756 | .15 | 0 | 1 |
| Galvanized Cover for T 283..... | 2757 | .25 | 0 | 6 |
| Fertilizer Hopper Stay Irons..... | 2809 A | .50 | 2 | 7 |
| Fertilizer Hopper Supports..... | 2810 | .40 | 1 | 12 |
| Chain Tightener for Agitator Chain..... | 2811 | .25 | 0 | 8 |
| Front Lift Crank 1" Round..... | 2812 | 1.25 | 5 | 15 |
| Main Frame, R. H..... | 2813 | 4.00 | 16 | 11 |
| Main Frame, L. H..... | 2813 | 4.00 | 16 | 11 |
| Front Tie Piece..... | 2814 | .75 | 5 | 10 |
| Control Lever Shaft, 1" Round..... | 2815 | 2.25 | 7 | 6 |
| Lockdown Strap, R. H..... | 2816 | .40 | 1 | 1 |
| Lockdown Strap, L. H..... | 2817 | .40 | 1 | 1 |
| Connecting Bar for Lifting Gang..... | 2818 | .65 | 3 | 8 |
| Rear Disc Gang, R. H..... | 2819 | 2.50 | 8 | 11 |
| Rear Disc Gang, L. H..... | 2819 | 2.50 | 8 | 11 |
| Pin 2527 to 2745 A..... | 2820 | .15 | 0 | 1 |
| Stud for Rear Lockdown Steel..... | 2821 | .20 | 0 | 2 |
| Rear Seat Iron..... | 2822 | .50 | 3 | 2 |
| Brace for Fertilizer Hopper..... | 2823 | .25 | 1 | 4 |
| Chain Tightener Arm..... | 2824 | .50 | 1 | 2 |
| Galvanized Shield for Fertilizer Belt..... | 2825 | .25 | 0 | 8 |
| Steel Agitator Shaft..... | 2826 | .65 | 2 | 12 |
| Fertilizer Hopper Bottom, R. H., Galvanized..... | 2827 | .50 | 0 | 7 |
| Fertilizer Hopper Bottom, L. H., Galvanized..... | 2828 | .50 | 0 | 7 |
| Fertilizer Belt Drive Shaft..... | 2829 | .65 | 2 | 2 |
| Axle for Belt Roller..... | 2830 | .20 | 0 | 1 |
| Straps for Hopper Cover..... | 2831 | .25 | 0 | 8 |
| Fertilizer Adjusting Rod, Brass..... | 2832 | .25 | 0 | 1 |
| Corner Clips for Fertilizer Hopper..... | 2833 | .25 | 0 | 3 |
| Foot Rest..... | 2834 | 1.75 | 5 | 0 |
| Fertilizer Regulator Spring..... | 2835 | .15 | 0 | 1/2 |
| Wing Nut, 1/4", for Brush Holder, for Hopper on Seed Att. Also on Fertilizer Rod Adjuster..... | 3088 | .10 | 0 | 1 |
| Chain Tightener Arm, Complete with Bolt for K 443..... | 3457 | .50 | 0 | 12 |
| Ferrule for Wood Handle..... | 3481 | .10 | 0 | 1 |
| Plugs for Oil Tubes, wood..... | 3573 | .05 | 0 | 1/2 |
| Rear Disc Axle..... | 5614 | .75 | 2 | 1 |
| Pin for Lockdown Arms for 2527 to 2812 for P 275..... | 5630 | .20 | 0 | 1 |
| Main Wheel Cotton Planter, Potato Planter, Special..... | 5684 | 12.00 | 48 | 0 |
| Grease Cup, Male..... | 8081 A | .35 | 0 | 2 |
| Knee for Chain Tightener Roller..... | 9037 | .25 | 0 | 10 |
| Oil Can..... | | .60 | 0 | 4 |
| Single Disc Opening Plow..... | Fig. 142 | 7.50 | 17 | 0 |
| Small Galvanized Hopper and Bottom Casting to Replace Worn Out Hopper..... | Fig. 458 C | 23.00 | 45 | 0 |
| Small Galvanized Hopper with all parts to apply to Planter which has never been equipped with Fertilizer Distributor..... | Fig. 458 | 28.00 | 65 | 0 |
| Large Galvanized Hopper and Bottom Castings to Replace Worn Out Hopper..... | Fig. 459 C | 28.00 | 50 | 0 |
| Large Galvanized Hopper with all parts to apply to Planter which has never been equipped with Fertilizer Distributor..... | Fig. 459 | 33.00 | 72 | 0 |
| Shield Opening Plow, Complete with Standards..... | Fig. 576 | 7.50 | 10 | 0 |


Repair Parts for *IRON AGE* Potato Planters

Nos. 400, 404 and Series




Repair Parts for *IRON AGE* Potato Planters

Nos. 400, 404 and Series




Repair Parts for *IRON AGE* Potato Planters

Additional for Nos. 400, 404 and Series




For Nos. 1, 2, 3 and 4 and not found on Nos. 400 and 404 Series





Repair Parts for *IRON AGE* Potato Planters

For Nos. 1, 2, 3 and 4 and not found on Nos. 400 and 404 Series




Repair Parts for *IRON AGE* Potato Planters

For Nos. 401 and 402, not used on Nos. 1 to 4 and 400




For 402, 402 R, 404 and 404 R only



Repair Parts for *IRON AGE* Potato Planters

New Parts for No. 401 Planter Attachment from 1922




Fertilizer Attachment for Nos. 401 and 402 Planters




Repair Parts for *IRON AGE* Potato Planters

Attachments




Repair Parts for *IRON AGE* Potato Planters

Attachments



Additional Parts for Attachments



Repair Parts for *IRON AGE* Potato Planters





Fig. 267
Corn, Bean and Pea Attachment



Fig. 265
Double Spreader



Covering Discs and Potato Tube




Fig. 295
Leveler Attachment




Fig. 142
Single Disc Opening Plow



For Peas



For Corn and Beans






Fig. 218
Double Disc Opening Plow




Showing Seed Hopper, Elevator Wheel and Feed Wheel



Showing Shield Opening Plow
Potato Shoe and Covering Discs

Repair Parts for *IRON AGE* Potato Planters



No. 400 L, Potato Planter with Large Fertilizer Distributor (from 1914)





Fig. 458
Regular
Fertilizer
Distributor



No. 401 Automatic Potato Planter (from 1922)




Fig. 459 Large Size Fertilizer
Attachment